

# 155 Third Generation Maritime Fire Support (155 TMF)

Robert McClure
BAE Systems Global Combat Systems






### Contents

- BAE Systems Context
- Global Combat Systems Products
  - AS90 Self Propelled
  - Mk8 4.5" Naval Gun
- Maritime Fires Capability Requirement
- 155mm Third Generation Maritime Fire Support (TMF)
- Summary & Questions





# **BAE Systems Context**





# 155mm Third Generation Maritime Fire Support (TMF)





### AS90 Self Propelled Howitzer

- Entered service in 1993 following competitive tender
- 179 vehicles over six UK regiments
- JBMoU 39 cal 155mm ordnance
  - Two piece ammunition
  - 24.7km range
  - HE, Illum, Smoke
  - Precision Guided Munitions capability
- Operational service in Op Telic
  - NAO reported 95% availability
- Contract to 'up-gun' to 52 cal barrel in 2002
  - Cancelled due to failure of modular charge system to meet requirements
  - Design experience and trials data pull-through







### Mk8 4.5" Naval Gun

- Designed by RARDE built by BAE Systems
  - First prototype 1966
  - Entered service (Iran) 1971
  - UK Service 1973 HMS Bristol
- UK Royal Navy standard Medium Calibre Gun
  - Type 21, 22, 23 frigates
  - Type 42, Type 45 destroyers
- In service in Brazil, Chile, Pakistan
- 4.5" one piece ammunition
  - Range 22km
  - 21kg shell
  - Base-bleed extended range
- BAE contacted in 1998 to develop mod 1 upgrade
  - Addresses obsolescence, reliability and maintainability
  - Tranche 1 completed by BAE Systems
  - Tranche 2 ongoing by DML








# 155 TMF Concept Objectives

- Affordable route to provide a significant increase in Naval Gun capability
  - Retain 4.5" Mk8 Mod 1 mount structures and high value components
  - Adapt AS90 ordnance
  - Modify for environment
- UK research driven by FSC
- Additional opportunities







# Maritime Fires Capability Requirement

#### Factors

- Future Surface Combatant to replace Type 23/22
- Enduring need for Naval gun capability identified
- Capability requirements evolving: effect, range, rate of fire
- Objective to reduce whole life cost
- 155TMF key programme for industrial capability

### FSC Options

- No gun
- Use existing gun: Mk8 4.5" 114mm
- Buy new
- Upgrade: 155mm TMF
- So What?
  - UK Research programme mitigating technology risk
  - BAE Systems strategy based on 155mm TMF








### TMF Key Attributes

Commonality with Mk8 drives low acquisition cost Commonality with AS90 reduces development cost Projectile commonality drives lower through-life cost




Provides an affordable enhancement in capability with low through-life costs.

Commonality enables a coherent strategy for land and naval fires

Reduced logistics burden
Exploit land investment
Joint development opportunities



### 155TMF Current Programme



Contract through the UK MoD Defence Technology and Innovation Centre Main stakeholder: Director of Equipment Capability (Above Water Effects)





- 155mm Weapon System
- Ammunition Handling
- Retained Structures
- Ship Installation
- Risk Reduction Prototype






- 155mm WEAPON SYSTEM
  - Ordnance Automation









- 155mm Weapon System
  - Ordnance Automation
  - Charge Ignition








- 155mm Weapon System
  - Ordnance Automation
  - Charge Ignition
  - Cradle Design












- 155mm Weapon System
  - Ordnance Automation
  - Charge Ignition
  - Cradle Design
  - Balance System
  - Recoil System








- 155mm Weapon System
  - Ordnance Automation
  - Charge Ignition
  - Cradle Design
  - Balance System
  - Recoil System
  - Elevation & Training Drives






- 155mm Weapon System
  - Ordnance Automation
  - Charge Ignition
  - Cradle Design
  - Balance System
  - Recoil System
  - Elevation & Training Drives
  - Thermal Management



**Pulse Bore Spray Arrangement** 



**Grooved Barrel with Cooling Sleeve** 




# **Barrel Thermal Management**








- Ammunition Handling
  - Feedring






- Ammunition Handling
  - Feedring
  - Hoist






- Ammunition Handling
  - Feedring
  - Hoist
  - Loading Arm






- Ammunition Handling
  - Feedring
  - Hoist
  - Loading Arm
  - Rammer System









- Ammunition Handling
  - Feedring
  - Hoist
  - Loading Arm
  - Rammer System
  - Charge Retention











- Ammunition Handling
  - Feedring
  - Hoist
  - Loading Arm
  - Rammer System
  - Charge Retention
  - Charge Protection Case








- Ammunition Handling
  - Feedring
  - Hoist
  - Loading Arm
  - Rammer System
  - Charge Retention
  - Charge Protection Case
  - CPC Ejection








- Ammunition Handling
  - Feedring
  - Hoist
  - Loading Arm
  - Rammer System
  - Charge Retention
  - Charge Protection Case
  - CPC Ejection
  - Rammer Test Rig














- Retained Structures
  - Turntable And Carriage
  - Training Bearing
  - Training Drive Arc
  - Elevation Drive Arc
  - Pedestal Base
  - Gun House Floor









- Ship Installation
  - Type 23 Ship Structural Interfaces
    - Minor reinforcement
  - Type 45 Ship Structural Interfaces
    - Minor reinforcement and minor structural stiffening
  - Electrical System Modifications
    - Additional control and drive systems defined and power requirements estimated
    - Harmonic limits for ships supply met
  - Fire Control Interfaces
    - Ballistic calculations can be updated
    - Capacity available to control future intelligent munitions
    - Existing system interfaces will allow integration with wider battlefield command and control systems



### **Key Success Factors**

Need to demonstrate value for money vs. "do nothing" option (Mk 8 4.5")

- Development and Qual
- UPC
- Integration Cost
- Through Life Support

Cost Integration

**Technology** 

Key integration aspects

- Ship Installation
- Fire Control
- Ammunition
   Stowage and
   Handling
- Land / MaritimeCoherence

#### Wider Strategic Aims

 Support Home Market strategy: make wider BAE expertise available to the customer through UK business unit Key technical areas

- Ordnance Automation
- Dual Stroke Rammer
- Thermal Management



# **Key Success Factors**

"do nothing" option (4.5")

- Integrati

### Develop Key Risk Area For TMF

- Raised in Options Report for FSC
- Not included in UK MoD research contract
- Ship builders require information to support PV Programmes
- **Core Capability of US Combat Systems**
- So What?
  - **W&V PV committed in 2007 & 2008**
  - Report passed to UK MoD and **Naval Design Partnership**

- JIIID Instance
- Ammunition Stowage and Handling
  - Coherence

Wider Strategic

Support Ho wider BAF customer t



### **Future Work**

- Research test programme 2009
  - Ordnance firing demonstrator
    - Demonstrate strength of design
  - Dual full stroke rammer test rig demonstration
  - Thermal management test rig
    - Model validation
  - Laser Ignition demonstration
- Land based Integrated Demonstrator 2009 2011
  - Integration of ordnance and ammunition handling
  - Demonstrate system and technology maturity
- Full development 2011 2014









### 155 TMF Summary

- 155TMF is design that integrates the AS90 155mm ordnance with the Mk8 Naval Gun
- Key Attributes
  - Enhanced capability
  - Affordable through-life cost
  - Land and Naval fires coherence
- UK funded research programme to inform the Future Surface Combatant requirements
  - Mitigating technology risk
  - Excellent progress to date









