


DNA Biometrics:



Standards and Technology

John M. Butler and Peter M. Vallone

National Institute of Standards and Technology



NDIA Biometrics Conference (Arlington, VA)

January 21, 2010

Acknowledgments

NIST DNA
 Biometrics Team:







Pete Vallone

Erica Butts

Kristen Lewis

- FBI funding through an interagency agreement with the NIST Information Access Division
- Early efforts with rapid PCR funded by Interagency Agreement 2008-DN-R-121 between the National Institute of Justice and NIST Office of Law Enforcement Standards

NIST Disclaimer: Points of view are ours and do not necessarily represent the official position or policies of the US Department of Justice or the National Institute of Standards and Technology. Certain commercial equipment, instruments and materials are identified in order to specify experimental procedures as completely as possible. In no case does such identification imply a recommendation or endorsement by the National Institute of Standards and Technology nor does it imply that any of the materials, instruments or equipment identified are necessarily the best available for the purpose.

Outline

- Importance of standards
 - in support of technology growth/application
- DNA as a biometric modality
 - advantages & challenges
- DNA basics
- NIST efforts with DNA
- Summary & future prospects with DNA

National Security Presidential Directive and Homeland Security Presidential Directive (NSPD-59 / HSPD-24) Biometrics for Identification and Screening to Enhance National Security

 This directive establishes a framework to ensure that Federal executive departments and agencies (agencies) use mutually compatible methods and procedures in the collection, storage, use, analysis, and sharing of biometric and associated biographic and contextual information of individuals in a lawful and appropriate manner, while respecting their information privacy and other legal rights under United States law. Signed by President Bush – June 5, 2008

Importance of Standards

- Interoperability (data sharing) is facilitated
 - Example: common core DNA markers used in forensics
- Quality is enhanced
 - Example: FBI Quality Assurance Standards for forensic DNA testing laboratories
- Technology is enabled
 - Example: commercial vendors have target goals for product development


Characteristics of a Biometric

- Universality
 - each person should have the characteristic
- Uniqueness
 - how well the biometric separates individuals from another
- Permanence
 - how well a biometric resists aging and variance over time
- Collectability
 - ease of acquisition for measurement


Current Biometrics

Some commonly measured features


- Physical
 - Fingerprints (Palm/hand geometry)
 - Face
 - Iris, retinal
 - Odor/scent
 - DNA
- Behavioral
 - Gait
 - Voice
 - Vein (IR thermogram)
 - Hand geometry
 - Handwriting













We are finding new ways to use DNA...



DNA can be Viewed as the Ultimate Biometric

Captured December 13, 2003




Is this man really Sadaam Hussein?

Matching Y-STR
Haplotype Used to
Confirm Identity

(along with allele sharing from autosomal STRs)

Relatives Used to Confirm Identity



DNA Typing as a Biometric

Advantages

- High level of accuracy (Gold Standard)
- Solid foundation of forensic DNA testing (population stats, genetics, molecular biology, court acceptance)
- Kinship determination
- Potential use for:
 - Phenotype (traits)
 - Ancestry

Challenges

- Expensive
- Time consuming
- Sample collection (invasive, stability)
- Technical expertise required for analysis
- Low level template, mixtures, PCR inhibition

The Desire is There...




http://www.nationaldefensemagazine.org/archive/2009/July/Pages/WantedOneAffordableField-ReadyDNATestingDevice.aspx

- Use in refuge camps to confirm family relationships for asylum seekers (~80% fraud)
- Prevention of overseas adoption fraud where women may kidnap another's child in a baby-selling scheme


Want result for <\$100 per test in <45 minutes

Steps in Forensic DNA Analysis

Usually 1-2 day process (a minimum of ~8 hours)




Characteristics of DNA



- Each person has a unique DNA profile (except identical twins).
- Each person's DNA is the same in every cell.
- An individual's DNA profile remains the same throughout life.
- Half of your DNA comes from your mother and half from your father.

Inheritance Pattern of DNA Profiles



Result from a Single Locus (specific region of DNA)

The Nucleus = control center for the cell (one per cell)

Mitochondria = the power houses for the cell (hundreds per cell)

Mitochondrial DNA

(16,569 bp)

Inherited from only your mother

Nuclear DNA

http://en.wikipedia.org/wiki/Image:Biological_cell.svg


(3.2 billion bp)


Inherited from both your mother and your father

Short Tandem Repeat (STR) Markers

An accordion-like DNA sequence that occurs between genes

= 11 GATA repeats ("11" is all that is reported)







STR Results

- Individuals will differ from one another in terms of their STR profile
- STR genotype can then be put into an alpha numeric form for search on a DNA database

Individual #1




Individual #2



What would be entered into a DNA database for searching:

	<u>AMEL</u>	D8S1179	D21S11	D18S51
Individual #1	X,Y	11,13	28,32.2	17,18
Individual #2	X,X	11,14	30,31	12,15

DNA within the Biometric Model



http://www.itl.nist.gov/div893/biometrics/Biometricsfromthemovies.pdf


Permit Entry

Match of 13 points (each with 2 variable alleles) within DNA

String of 26 numbers (order of listing DNA results would have to be standardized) 16,17-17,18-21,22-12,14-28,30-14,16-12,13-11,14-9,9-11,13-6,6-8,8-10,10

Enrollment through Relatives





STR Alleles from D13S317

NIST Efforts with DNA Biometrics

- Developing rapid PCR protocols
- Evaluating kinship analysis software
- Support to other rapid DNA efforts
- Designing standards materials for device testing
- Preparing to test prototype rapid DNA devices

Current State of Rapid PCR Protocols

- Rapid amplification of at least 16 loci is possible
 - <20 minutes
- Faster DNA polymerases are required
- Faster thermal cyclers are required
- Optimized rapid STR typing kits could be produced specifically for portable integrated devices
- Success with ~1 ng of DNA template (single source)
- Sub 45 minute PCR will be essential for rapid typing in a integrated/ portable system

ANDE (Automated Nuclear DNA Equipment)

US Government Prototype Initiatives

Rapid DNA Profiling System
Automated Nuclear DNA Equipment (ANDE)

(a joint DoD/FBI/DHS initiative)

Analysis and matching of multiple DNA samples in
 1 hour (18 month development program)

DHS Low-Cost and Rapid DNA-based Biometric Device

 Demonstrate an automated desktop prototype device that verifies identity or kinship within an hour
 (2 year development program)

Speed Improvements with DNA

Turnaround Time Over Last 20 Years ~ 7 weeks for 6 loci result 1988 - 94 P-32 RFLP ~ 9 days for 6 loci result 1995 - 96 Chemiluminescence ~ 3 days for 6 loci result, > Sensitivity, < Stats 1994 PM – DQA-1 PCR 1998 STR with CE ~ 3 days for 13 loci result, > Sensitivity, > Stats 1998 NDIS Established 2006 Expert System Approved 2009 R-DNA (R&D) ~ 4 hours for 13 loci (manual intervention) ~1hr 8-16 swabs @ \$100/Sample 2011 ANDE (Prototyped Plan) Real time DNA analysis can lead to real time DNA ID

http://biometrics.org/bc2009/presentations/wednesday/McCurdy%20BrA%20Wed%201040-1055.pdf

DNA Analysis Approach (integrated)

Steps Involved Challenges Collection Buccal swab, blood, other? Target Times Rapid extraction (solid or liquid phase?) Extraction ~15 min Reagents stable and compatible with device Can be skipped for a reference sample BUT Quantitation Does the extraction method allow for a target amount of DNA to be released? ~1 ng Rapid PCR amplification of a commercial STR kit **Amplification** ~20-30 min Locus balance, stutter, adenylation, heterozygote balance, reproducibility Separation/ ~20 min Resolution, reproducibility, sensitivity, post-run signal processing **Detection** Data Expert system software? How much user intervention is needed? Interpretation Can rapid typing be done reproducibly and accurately? **Total Time** ~1 hour Cost efficient? (instrumentation, reagents, consumables) General challenge of going from macro scale to micro scale!

Contract of the second

Contact Information

Peter Vallone

Project Leader, NIST DNA Biometrics peter.vallone@nist.gov 301-975-4872

http://www.cstl.nist.gov/biotech/strbase